


Popular Profiles


Profile: Alsynite 400

Standard Weight: 2000g/m² (1.2mm)




Profile: ST900

Standard Weight: 2200g/m² (1.3mm)




Profile: Budget

Standard Weight: 1800 g/m² (1.1mm)



Profile: Custom Orb (Corrugated)

Standard Weight: 1800 g/m²




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

Popular Profiles


Profile: Dimondek 400

Standard Weight: 2000 g/m² (1.2mm)




Profile: ERL

Standard Weight: 2200 g/m² (1.3mm)




Profile: 5-Rib

Standard Weight: 1800 g/m² (1.1mm)



Profile: Flat Sheet

Standard Weight: 1800 g/m² (1.1mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

Popular Profiles


Profile: Greca

Standard Weight: 1800 g/m² (1.1mm)




Profile: Greenhouse

Standard Weight: 1800 g/m² (1.1mm)




Profile: Hi Five

Standard Weight: 1800 g/m² (1.1mm)



Profile: Hi Line / Topspan

Standard Weight: 2000 g/m² (1.2mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

Popular Profiles


Profile: Hi Rib

Standard Weight: 2000 g/m² (1.2mm)




Profile: Kiplok 406

Standard Weight: 2000 g/m² (1.2mm)




Profile: Lanwood

Standard Weight: 1800 g/m² (1.1mm)



Profile: Longrib

Standard Weight: 1800 g/m² (1.1mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

Popular Profiles


Profile: ST7

Standard Weight: 2200 g/m² (1.3mm)




Profile: Maxi Span

Standard Weight: 2200 g/m² (1.3mm)




Profile: MC700

Standard Weight: 1800 g/m² (1.1mm)



Profile: MC750

Standard Weight: 1800 g/m² (1.1mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

Popular Profiles


Profile: MC770

Standard Weight: 1800 g/m² (1.1mm)




Profile: MC1000

Standard Weight: 2200 g/m² (1.3mm)




Profile: MegaSpan

Standard Weight: 1800 g/m² (1.1mm)



Profile: Metclad

Standard Weight: 1800 g/m² (1.1mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

Popular Profiles


Profile: Metcom 930

Standard Weight: 2200 g/m² (1.3mm)




Profile: Metdek

Standard Weight: 1800 g/m² (1.1mm)




Profile: Metrib

Standard Weight: 1800 g/m² (1.1mm)



Profile: Metric

Standard Weight: 2200 g/m² (1.3mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

Popular Profiles

Profile: MF900


Standard Weight: 2200 g/m² (1.3mm)



Profile: Mini Orb


Standard Weight: 1800 g/m² (1.1mm)

34.5 corrugations




Profile: Multidek 500

Standard Weight: 2000 g/m² (1.2mm)



Profile: Multirib

Standard Weight: 2200 g/m² (1.3mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

Popular Profiles


Profile: Multispan

Standard Weight: 2200 g/m² (1.3mm)




Profile: NC710 4-Rib

Standard Weight: 2200 g/m² (1.3mm)




Profile: Onduline

Standard Weight: 1800 g/m² (1.1mm)



Profile: Paneldek

Standard Weight: 2000 g/m² (1.2mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

Popular Profiles


Profile: Plumdek

Standard Weight: 1800 g/m² (1.1mm)




Profile: Purlindek

Standard Weight: 1800 g/m² (1.1mm)




Profile: Ribdek

Standard Weight: 2000 g/m² (1.2mm)



Profile: Ribline 800

Standard Weight: 1800 g/m² (1.1mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

Popular Profiles


Profile: Ribline 960

Standard Weight: 2200 g/m² (1.3mm)




Profile: Rib Roof

Standard Weight: 1800 g/m² (1.1mm)




Profile: Rib Roof 18

Standard Weight: 2000 g/m² (1.2mm)



Profile: Ribspan 900

Standard Weight: 2200 g/m² (1.3mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

Popular Profiles


Profile: Ridge

Standard Weight: 2200 g/m² (1.3mm)




Profile: Silbery 7

Standard Weight: 2200 g/m² (1.3mm)




Profile: Six Rib

Standard Weight: 1800 g/m² (1.1mm)



Profile: Alsynite 700

Standard Weight: 1800 g/m² (1.1mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

Popular Profiles


Profile: Spandek 762

Standard Weight: 1800 g/m² (1.1mm)




Profile: ST 7

Standard Weight: 2200 g/m² (1.3mm)




Profile: ST 900

Standard Weight: 2200 g/m² (1.3mm)



Profile: Alsynite 900

Standard Weight: 2200 g/m² (1.3mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

Popular Profiles


Profile: Styleline

Standard Weight: 1800 g/m² (1.1mm)




Profile: Superdek

Standard Weight: 1800 g/m² (1.1mm)




Profile: Supersix

Standard Weight: 1800 g/m² (1.1mm)



Profile: T Rib

Standard Weight: 1800 g/m² (1.1mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

Popular Profiles


Profile: 5 Rib

Standard Weight: 1800 g/m² (1.1mm)




Profile: Trimform

Standard Weight: 1800 g/m² (1.1mm)




Profile: Trimklad

Standard Weight: 1800 g/m² (1.1mm)



Profile: Trimline

Standard Weight: 1800 g/m² (1.1mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

Popular Profiles


Profile: Trimroof

Standard Weight: 1800 g/m² (1.1mm)




Profile: Triple Span 865

Standard Weight: 2000 g/m² (1.2mm)




Profile: Alsynite Rib

Standard Weight: 2200 g/m² (1.3mm)



Profile: Weatherboard

Standard Weight: 1800 g/m² (1.1mm)




All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964

Popular Profiles


Profile: Wide Corrugate

Standard Weight: 1800 g/m² (1.1mm)



Profile: Alsynite 750

Standard Weight: 1800 g/m² (1.1mm)



All Topglass® products are available to match common roof profiles and flat sheet, subject to minimum quantity order and raw material availability. For more information, contact Alsynite NZ Ltd. 0800 257 964