




ALSYNITE ONE

Popular Profiles

Profile: Paneldek

Standard Weight: 2400gsm (1.5mm)


Unavailable in Topglass GC Ultrasafe 3660gsm



Profile: Alsynite 400

Standard Weight: 2400gsm (1.5mm)


Unavailable in Topglass GC Ultrasafe 3660gsm



Profile: Ribroof 460

Standard Weight: 2400gsm (1.5mm)


Unavailable in Topglass GC Ultrasafe 3660gsm



Profile: Hi Rib

Standard Weight: 2400gsm (1.5mm)

Unavailable in Topglass GC Ultrasafe 3660gsm




All Topglass® products are available to match common roof profiles, subject to minimum quantity order and raw material availability
For more information, contact Alsynite NZ Ltd. 0800 257 964

Popular Profiles


Profile: Kiplok 406

Standard Weight: 2400gsm (1.5mm)




Profile: Purlindek

Standard Weight: 2400gsm (1.5mm)




Profile: NC710

Standard Weight: 2400gsm (1.5mm)



Profile: Alsynite 750

Standard Weight: 2400gsm (1.5mm)



All Topglass® products are available to match common roof profiles, subject to minimum quantity order and raw material availability
For more information, contact Alsynite NZ Ltd. 0800 257 964




ALSYNITE ONE

Popular Profiles


Profile: Triple Span 685

Standard Weight: 2400gsm (1.5mm)




Profile: MC700

Standard Weight: 2400gsm (1.5mm)




Profile: Styleline

Standard Weight: 2400gsm (1.5mm)



Profile: 5 Rib

Standard Weight: 2400gsm (1.5mm)



All Topglass® products are available to match common roof profiles, subject to minimum quantity order and raw material availability
For more information, contact Alsynite NZ Ltd. 0800 257 964




ALSYNITE ONE

Popular Profiles


Profile: MC770

Standard Weight: 2400gsm (1.5mm)




Profile: Lanwood

Standard Weight: 2400gsm (1.5mm)




Profile: Multispan

Standard Weight: 2400gsm (1.5mm)



Profile: Alsynite 900

Standard Weight: 2400gsm (1.5mm)



All Topglass® products are available to match common roof profiles, subject to minimum quantity order and raw material availability
For more information, contact Alsynite NZ Ltd. 0800 257 964




ALSYNITE ONE

Popular Profiles


Profile: Ribspan 900

Standard Weight: 2400gsm (1.5mm)




Profile: MC 930

Standard Weight: 2400gsm (1.5mm)




Profile: MC1000

Standard Weight: 2400gsm (1.5mm)



Profile: Trimline

Standard Weight: 2400gsm (1.5mm)




All Topglass® products are available to match common roof profiles, subject to minimum quantity order and raw material availability
For more information, contact Alsynite NZ Ltd. 0800 257 964

Popular Profiles


Profile: Metrib

Standard Weight: 2400gsm (1.5mm)




Profile: Ribline 6

Standard Weight: 2400gsm (1.5mm)



Profile: Ribline 800


Standard Weight: 2400gsm (1.5mm)



Profile: Trimklad

Standard Weight: 2400gsm (1.5mm)

Unavailable in Topglass GC Ultrasafe 3660gsm



All Topglass® products are available to match common roof profiles, subject to minimum quantity order and raw material availability

For more information, contact Alsynite NZ Ltd. 0800 257 964




ALSYNITE ONE

Popular Profiles

Profile: Metclad


Standard Weight: 2400gsm (1.5mm)

Unavailable in Topglass GC Ultrasafe 3660gsm




Profile: Multirib

Standard Weight: 2400gsm (1.5mm)




Profile: Longrib

Standard Weight: 2400gsm (1.5mm)



Profile: ST900

Standard Weight: 2400gsm (1.5mm)




All Topglass® products are available to match common roof profiles, subject to minimum quantity order and raw material availability
For more information, contact Alsynite NZ Ltd. 0800 257 964

Popular Profiles

Profile: Ribline 960


Standard Weight: 2400gsm (1.5mm)



Profile: Budget


Standard Weight: 2400gsm (1.5mm)

Unavailable in Topglass GC Ultrasafe 3660gsm




Profile: ST7

Standard Weight: 2400gsm (1.5mm)



Profile: Alsynite 700

Standard Weight: 2400gsm (1.5mm)



All Topglass® products are available to match common roof profiles, subject to minimum quantity order and raw material availability
For more information, contact Alsynite NZ Ltd. 0800 257 964




ALSYNITE ONE

Popular Profiles


Profile: Spandek 762

Standard Weight: 2400gsm (1.5mm)




Profile: Alsynite Rib

Standard Weight: 2400gsm (1.5mm)




Profile: Greenhouse

Standard Weight: 2400gsm (1.5mm)



Profile: ERL

Standard Weight: 2400gsm (1.5mm)



All Topglass® products are available to match common roof profiles, subject to minimum quantity order and raw material availability
For more information, contact Alsynite NZ Ltd. 0800 257 964




ALSYNITE ONE

Popular Profiles


Profile: Corrugate

Standard Weight: 2400gsm (1.5mm)




Profile: Onduline

Standard Weight: 2400gsm (1.5mm)




Profile: Wide Corrugate

Standard Weight: 2400gsm (1.5mm)



Profile: Supersix

Standard Weight: 2400gsm (1.5mm)



All Topglass® products are available to match common roof profiles, subject to minimum quantity order and raw material availability
For more information, contact Alsynite NZ Ltd. 0800 257 964